

savin®

DIGITAL IMAGING SYSTEMS

2055DP/2070DP



The Profitable Approach To Document Production

WHETHER YOU MEASURE PRODUCTIVITY BY TIME OR MONEY, THE SAVIN 2055DP AND 2070DP HIGH VOLUME DIGITAL NETWORK OUTPUT SYSTEMS ALWAYS ADD UP TO A POSITIVE. AT THEIR BEST IN THE DEMANDING PRINT ON DEMAND ENVIRONMENTS OF THE CORPORATE WORKGROUP, CENTRAL REPRODUCTION DEPARTMENT AND PRINT-FOR-PAY, THE 2055DP AND 2070DP QUIETLY AND EFFICIENTLY GO ABOUT THEIR BUSINESS – SO THAT YOU CAN TAKE CARE OF YOURS.

Technology That Simplifies Your Life...Really

Too often, technology that should make your life easier makes it more complicated. That's not the case with the 2055DP and 2070DP – both incorporate sophisticated digital technology that optimizes productivity.

- Fast 55 and 70 PPM print speeds combine with a 3.5 second First Copy Speed to dispatch even the largest jobs with ease.
- Superior image quality is assured with 600 x 600 dpi Resolution, 256 Levels of Gray Scale, five Original Modes and a patented Auto Noise Cleaning System.
- Efficiently process jobs that consist of more than 100 originals – sheet, bound or any combination – with the 2055DP/2070DP's Batch Feed Mode.
- Enhance productivity and protect originals by scanning them once, regardless of the number of copies you need.
- Scan and program multiple jobs, change the order of existing jobs and cancel jobs using the 2055DP/2070DP's extensive Job Preset feature.
- Eliminate trial and error copying and the associated paper waste with the 2055DP/2070DP's Original Orientation and Sample Copy features.



The Connection That Works

Increase the output power of your network with the optional Print Controller and Fast Ethernet Network Interface Card. It supports today's most popular network platforms so everyone on the LAN becomes more productive. Plus, standard PCL5e/PCL6 and optional Adobe PostScript® 3 will appeal to general office and graphic arts users alike.

- Achieve superior image quality at 2400 x 600 dpi with Enhance mode.
- Process complex jobs at top speed thanks to a powerful 266 MHz RISC processor, up to 256 MB of RAM and a 4.3 GB Hard Disk Drive.
- Minimize network traffic and maintain maximum output performance with Multiple Original Set Printing and RIP While Print.
- Store additional fonts on the optional 6.0 GB hard disk drive.
- Separate print jobs for up to nine individuals or departments via a dedicated Mailbox option – no more searching through stacks of paper looking for specific print jobs.



Adobe PostScript® 3

Novell®



A Distinctive Print On Demand Solution

The Savin 2055DP and 2070DP's Document Server lets you input, edit, merge and archive hardcopy, electronic files or a combination of both.

- Scan and store up to 200 different files including all job parameters.
- Protect stored jobs with user-specified passwords.
- Combine and print a variety of electronic files or merge scanned originals with electronic files.
- Sort files by name, scan date, user ID or total number of pages.
- Add or delete pages – even change the job settings – of any file that is stored in the Document Server – without re-scanning.



Two Is Faster Than One

Supercharge your output speed by connecting two Savin 2055DP/2070DP systems with the Connect Copy and Connect Print options.

- Split large runs between two systems and process them simultaneously at up to 140 PPM/CPM.
- Ensure that mission critical documents complete the production process. Output is automatically shifted to the other if one system stops for any reason.
- Gain the peace of mind that comes with automatic backup protection. If one system is down, the other will be operational.



From Idea To Production

Intelligent engineering ensures that every job – from start to finish – is handled with speed.

- Enjoy long stretches of uninterrupted production with up to 7,750 sheets of paper from five sources, Automatic Tray Switching and Load While Running.
- Depend on the 2055DP/2070DP's short paper path to ensure reliable paper-handling – including tabs, inserts, 110 lb. index and paper sizes up to 11" x 17".
- Reduce paper consumption and the space required for hard copy storage with standard Automatic Duplexing.
- Produce paginated documents that automatically include Front and Back Covers, Paper Designates, Chapters and Tabs.
- Employ the Booklet/Magazine mode and optional Saddle Stitch Finisher to create precisely laid-out and professionally finished books or manuals.
- Automate the document finishing process with one of three optional finishers. Staple sets of up to 100 sheets at fully-rated engine speed. You can even 2 or 3 hole punch documents with the optional Punch Kits.

Trust Savin

Let us recommend a network output strategy that will have a positive impact on your productivity and your bottom line. From hard-working network printers to smart multi-functional devices to vibrant full color systems – Savin has your solution.

For more information about the Savin 2055DP and 2070DP Digital Imaging Systems, contact your authorized Savin sales location.

COPIER SPECIFICATIONS

| | |
|--------------------------|--|
| Configuration | Console |
| Printing Process | Dual laser beam scanning and electro-photographic printing |
| Copy Resolution | 600 x 600 dpi |
| Gray Scale | Scanning: 256 levels |
| Standard Memory Capacity | RAM 48MB/4.3GB HDD |
| Document Server | Storage up to 200 files |
| Continuous Copy Speed | 55/70 cpm (8.5" x 11") |
| Copy Size | 5.5" x 8.5" - 11" x 17" |
| First Copy | Less than 3.5 seconds |
| Originals | Sheet/Book/3 dimensional |
| Max. Original Size | 11" x 17" |
| Min. Original Size | 5.5" x 8.5" |
| Warm-up Time | 330 seconds |
| Multiple Copying | Up to 999 |
| Auto Duplex | Unlimited |
| Standard Paper Capacity | 1,550 x 2 Tandem Tray + 550 x 2 Trays + 50 sheet Bypass |
| Optional Paper Capacity | 3,500 sheet LCT (total capacity 7,750) |
| Output Tray Capacity | |
| 500 sheets | 8.5" x 11"/8.5" x 14" |
| 250 sheets | All other sizes |
| Zoom Range | 25% to 400% in 1% steps |
| Enlargement | 121%, 129%, 155%, 200%, 400% |
| Reduction | 93%, 85%, 78%, 73%, 65%, 50%, 32% |
| Copy Paper Weight | 14 - 34 lb. bond (Std. Trays) 14 - 42 lb. bond/110 lb. index (Bypass Feed) 17 - 28 lb. bond (Duplex) |
| Dimensions (WxDxH) | 27.2" x 29.6" x 44.9" (includes ARDF) |
| Weight | 415 lbs. |
| Power Source | 120V, 60Hz, 20A |

PRINTER SPECIFICATIONS

| | |
|-------------------------|--|
| Print Speed | 55/70 PPM |
| CPU | Power PC 740 - 266 MHz |
| Interface | Ethernet Network Interface Card 10/100BaseT (optional); Parallel IEEE1284 |
| Network Protocol | TCP/IP, IPX/SPX, AppleTalk |
| Memory Capacity | 32 MB + (up to 256 MB) |
| Printer Hard Disk Drive | 6 GB (Optional for Font Download) |
| Language | PCL5e/PCL6 (Standard) Adobe PostScript 3 (Optional) |
| Print Resolution | PCL5e: 600 dpi PCL6: 600 dpi PS3: 600 dpi |
| Fonts for PCL 6 | 35 Intellifonts, 10 TrueType Fonts, 1 Bitmap Font |
| Fonts for PS3 | 136 PostScript Fonts |
| Drivers for PCL 6 | Windows 95/98, NT4.0, Windows 2000 |
| Drivers for PS3 | Windows 95/98, NT4.0, Windows 2000, Macintosh |
| Utility | Net Vision, Port Navi |

STANDARD ACCESSORIES

| | |
|-------------------------|--|
| Document Feeder | |
| Original Size | 5.5" x 8.5" - 11" x 17" |
| Original Weight | 14 - 42 lb. Simplex/14 - 34 lb. Duplex |
| Copying Speed | 55/70 OPM |
| Original Table Capacity | 100 sheets |
| Original Set | Face Up |
| Original Feed | Automatic Feed |

OPTIONAL ACCESSORIES

| | |
|-----------------------------------|-----------------------|
| Large Capacity Tray (RT37) | |
| Paper Size | 8.5" x 11" |
| Paper Capacity | 3,500 sheets |
| Paper Weight | 16 - 24 lb. |
| Dimensions (WxDxH) | 15.9" x 20.9" x 24.0" |
| Weight | 48.6 lbs. |

FINISHER (SR810)

| | |
|-------------------|--|
| Type | Floor Standing |
| Shift Tray | |
| Stack Capacity | 3,000 sheets (8.5" x 11", 20 lb.) w/o Punch 1,500 sheets (8.5" x 14" & larger, 20 lb.) w/o Punch 2,500 sheets (8.5" x 11", 20 lb.) with Punch 1,500 sheets (8.5" x 14" & larger, 20 lb.) with Punch |
| Paper Weight | 14 - 110 lb. index |
| Staple Capacity | 100 sheets (8.5" x 11" & smaller, 20 lb.) 50 sheets (8.5" x 14" & larger, 20 lb.) |
| Staple Paper Size | 8.5" x 11", 8.5" x 14", 11" x 17" |
| Staple Positions | Top, Bottom, Two Staples, Top Slant |
| Proof Tray | |
| Paper Sizes | 5.5" x 8.5" - 11" x 17" |
| Stack Capacity | 500 sheets (8.5" x 11" & smaller, 20 lb.) 250 sheets (8.5" x 14" & larger, 20 lb.) |

FINISHER (SR740)

| | |
|-------------------|---|
| Type | Floor Standing |
| Shift Tray | |
| Stack Capacity | 3,000 sheets (8.5" x 11", 20 lb.) w/o Punch 1,500 sheets (8.5" x 14" & larger, 20 lb.) w/o Punch 2,500 sheets (8.5" x 11", 20 lb.) with Punch 1,500 sheets (8.5" x 14" & larger, 20 lb.) with Punch |
| Paper Weight | 14 - 90 lb. index |
| Staple Capacity | 50 sheets (8.5" x 11" & smaller, 20 lb.) with Punch 30 sheets (8.5" x 14" & larger, 20 lb.) with Punch 40 sheets (8.5" x 11" & smaller, 20 lb.) w/o Punch 25 sheets (8.5" x 14" & larger, 20 lb.) w/o Punch 8.5" x 11", 8.5" x 14", 11" x 17" |
| Staple Paper Size | 8.5" x 11", 8.5" x 14", 11" x 17" |
| Staple Positions | Top, Bottom, Two Staples, Top Slant |
| Proof Tray | |
| Paper Sizes | 5.5" x 8.5" - 11" x 17" |
| Paper Weight | 14 - 90 lb. index |
| Stack Capacity | 250 sheets (8.5" x 11" & smaller, 20 lb.) w/o Punch 50 sheets (8.5" x 14" & larger, 20 lb.) w/o Punch 200 sheets (8.5" x 11" & smaller, 20 lb.) with Punch 50 sheets (8.5" x 14" & larger, 20 lb.) with Punch |

FINISHER (SR750) WITH SADDLE STITCH

| | |
|-------------------------------|--|
| Type | Floor Standing |
| Shift Tray | |
| Stack Capacity | 1,000 sheets (5.5" x 8.5" - 8.5" x 11", 20 lb.) Staple Mode 500 sheets (8.5" x 14" & larger, 20 lb.) Staple Mode 750 sheets (8.5" x 11", 20 lb.) Non-Staple Mode 500 sheets (8.5" x 14" & larger, 20 lb.) Non-Staple Mode |
| Paper Weight | 14 - 90 lb. index |
| Staple Capacity | 50 sheets (8.5" x 11" & smaller) 30 sheets (8.5" x 14" & larger) |
| Staple Paper Size | 8.5" x 11", 8.5" x 14", 11" x 17" |
| Staple Positions | Top, Center, Two Staples |
| Proof Tray | |
| Paper Sizes | 5.5" x 8.5" - 11" x 17" |
| Paper Weight | 14 - 90 lb. index |
| Stack Capacity | 150 sheets (5.5" x 8.5" - 8.5" x 11") 75 sheets (8.5" x 14" & larger) |
| Saddle Stitch Function | |
| Maximum Paper Size | 11" x 17" |
| Paper Weight | 17 - 20 lb. bond (1 cover at 14 - 34 lb. bond) |
| Staple Capacity | 15 sheets |
| Folding | Center Folding |

OTHER OPTIONS

| | |
|---------------------------|------------------------------------|
| Connect Copy Type 700 | Punch Kit Type 850 (2 or 3 hole) |
| Copy Tray 700 | Print Controller Type 700 |
| 9-Bin Mailbox CS 360 | PostScript 3 Type 700 |
| Tab Sheet Holder Type 700 | Printer Hard Disk Type 850 |
| 8.5" x 14" Tray Type 700 | Network Interface Board Type 450-E |